

The Knowledge Bank at The Ohio State University
Ohio State Engineer

Title: Front Matter

Issue Date: Mar-1929


Publisher: Ohio State University, College of Engineering

Citation: Ohio State Engineer, vol. 12, no. 5 (March, 1929), 1-4.

URI: <http://hdl.handle.net/1811/34561>

Appears in Collections: [Ohio State Engineer: Volume 12, no. 5 \(March, 1929\)](#)

THE OHIO STATE ENGINEER



TA

036

V. 12, no. 5

MEMBER OF ENGINEERING
COLLEGE MAGAZINES ASSOCIATED

Mar. 1929

copy 3

MARCH

1 9 2 9

v. 12 #5

800,000 pounds of STEAM per hour from one unit!

N. Y. Times, Dec. 1928

NEW YORK EDISON BUYS 3 RECORD-SIZE BOILERS

Will Drive Largest Single-Unit
Generating Machine in World at
East 14th St. Plant.

Matthew S. Sloan, president of the New York Edison and associated companies, announced yesterday the closing of a contract with the International Combustion Engineering Company for three boilers that will be the largest ever built. Each will be about as high as an average eight-story building. They are to be installed in the East River generating station of the New York Edison Company at Fourteenth Street and will supply steam to drive the largest single-shaft, single-unit electric generating machine in the world, a 150,000 kilowatt turbo-generator now being built by the General Electric Company.

The over-all height of the new boilers, which are of the Double Ladd type with fin tube water walls, will be 95 feet, with furnaces 23 feet wide and extending back 65 feet. Each will supply a maximum of 800,000 pounds of steam an hour at a temperature of 700 degrees Fahrenheit, at 425 pounds a square inch pressure. The height of the boilers is approximately that of an eight-story building, allowing twelve feet for each floor.

With a heating surface of 60,000 square feet each, the compactness of the battery of boilers will make them not only the greatest producers of steam in the world but also the most economical for the space occupied and the coal consumed. Each of the boilers will require 80,000 pounds of coal an hour, or nearly 1,000 tons daily, if operated continuously at that rate.

"Matthew S. Sloan, president of the New York Edison and associated companies, announced yesterday the closing of a contract with the International Combustion Engineering Company for three boilers that will be the largest ever built."

"The over-all height of the new boilers, which are of the Double Ladd type with fin tube water walls, will be 95 feet, with furnaces 23 feet wide and extending back 65 feet. Each will supply a maximum of 800,000 pounds of steam an hour at a temperature of 700 degrees Fahrenheit, at 425 pounds a square inch pressure."


"With a heating surface of 60,000 square feet each, the compactness of the battery of boilers will make them not only the greatest producers of steam in the world but also the most economical for the space occupied and the coal consumed."

COMBUSTION ENGINEERING CORPORATION

International Combustion Building 200 Madison Ave., New York


A Subsidiary of
INTERNATIONAL COMBUSTION ENGINEERING CORPORATION

COMBUSTION ENGINEERING



**Grinding
Ball Bearings**
*-to almost
unbelievable
precision limits*

IT may be human to err, but error has no place in the New Departure plant. Human ingenuity has circumvented error by all but eliminating the human element and by putting its trust in machinery — superhuman in the uniform accuracy of its production.



THE superiority of the ball bearing over other forms of anti-friction devices is built on its marvelous accuracy of manufacture—the exquisite precision of every part.

The final steps in the fabrication of New Departure Ball Bearings are the grinding and lapping operations. The raceways are finished mirror-smooth, precise in eccentricity, diameter and curvature to almost unbelievable limits, by exclusive methods.

One fact can be divulged, however. The smoothness and accuracy of the grinding is accomplished partly by the use of spindles mounted on New Departures—“turning up” as high as 30,000 R. P. M.

New Departure Ball Bearing precision lends permanent precision to the machinery which it supports. Fifty million a year are used to banish the excessive maintenance costs of friction, wear and lost power.

NEW DEPARTURE

BALL BEARINGS

Paving a Highway in the Mountains



UNTIL July, 1927, the Mountain Springs grade was a treacherous ten miles of rocky trail which led out of the Imperial Valley into the mountains of San Diego, California. At that time a concrete highway, 20 feet wide and 7.2 miles in length, was completed. Its elevation variance is approximately 1800 feet making an average grade of 7% with super-elevated curves and a continuous series of alternating reverses.

Unusual conditions — preparing a grade from solid rock formation, long haul of materials, temperature as high as 122° — demanded rugged, dependable equipment. That's one reason why the Koehring Heavy Duty Shovel did all the excavation work — traveling over uneven rock formation.

At the stock pile and batcher bin a Koehring Heavy Duty Crane handled the crushed rock and sand while on the grade a Koehring Heavy Duty Paver mixed the dominant strength concrete, — a complete Koehring-equipped job.

KOEHRING COMPANY

MILWAUKEE, WISCONSIN

Manufacturers of

Pavers, Mixers—Gasoline Shovels, Cranes and Draglines

"Concrete — Its Manufacture and Use," a complete treatise and handbook on preparing methods of preparing and handling portland and cement concrete, will be gladly sent on request to engineering students, faculty members and others interested.



KOEHRING

MARCH, 1929

THE OHIO STATE ENGINEER

Published in October, November, January, February, March, April, and May by the students in the College of Engineering, Ohio State University

Vol. XII

MARCH, 1929

No. 5

CONTENTS

THE ENGINEERING EXPERIMENT STATION.....	Cover
NEON SIGN CONSTRUCTION — By ROBERT M. EWING.....	5
BEATING CHICAGO'S TRAFFIC BOGEY — By M. L. ALLEN.....	6
SHIPPING OUT — By HENRY TAYLOR.....	8
NIAGARA FALLS PROJECT — By JUDD LOUGH.....	10
STEEL OIL DERRICKS — By C. V. SPANGLER.....	11
THE BOOKSHELF.....	12
CAMPUS NOTES.....	13
EDITORIAL.....	14
ALUMNI NEWS.....	16
CRANKS AND COUNTERSHAFTS.....	18

Subscription price, \$1.50 per year, 25c per copy. Checks, money orders, etc., payable to The Ohio State Engineer.


Entered as second-class matter May 15, 1922, at the post office at Columbus, Ohio, under the act of March 3, 1879. Acceptance for mailing at special rate of postage provided for in Section 1103, Act of October 3, 1917. Authorized December 8, 1922.

MEMBERS OF THE ENGINEERING COLLEGE MAGAZINES ASSOCIATED

Chairman: Willard V. Merrihue, 1 River Road, Schenectady, New York

The Transit
Iowa Engineer
Colorado Engineer
Nebraska Blue Print
Sibley Journal of Engineering
Rose Technic
Michigan Technic
The Ohio State Engineer
Penn State Engineer
Minnesota Techno-Log

Wisconsin Engineer
Tech Engineering News
Cornell Civil Engineer
Kansas State Engineer
Princeton E. A. News Letter
The Technograph
Pennsylvania Triangle
Kansas Engineer
Oregon State Technical Record
The Purdue Engineer



General view of the United States Military Academy, West Point, N. Y.

PROBABLY no single spot in this country is more widely known than West Point, where our future army commanders receive their education and training in the arts of war.

As an army post in the Revolution, West Point's fortifications were the works that Benedict Arnold attempted to deliver into the hands of the British. Later the United States Military Academy was established and is now composed of magnificent buildings, parade grounds and athletic fields.

It is a source of pride to the Otis organization that most of the famous buildings of the world are equipped with Otis Elevators and West Point is no exception to this rule; five Otis Elevators are installed in various buildings of the Academy.

Throughout the world, in far-off places and at home in familiar surroundings, we find that people everywhere depend upon Otis for safe, speedy Vertical Transportation.



OTIS ELEVATOR COMPANY
OFFICES IN ALL PRINCIPAL CITIES OF THE WORLD

